




Embossed Brick Design PVC Interior Film For Ceiling Wall Panel Decoration

Our Product Introduction

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Model Number: 0004
- Minimum Order Quantity: 3000m
- Price: USD 0.5/m~USD 5/m, negotiate
- Packaging Details: 100-400m/roll, packed with long woven, Kraft paper and PVC film
- Delivery Time: 15-20 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500000m/month



Product Specification

- Material: PVC
- Thickness: 0.1mm-0.5mm
- Width: 1260mm, 1400mm
- Design: Wood Grain, Marble, Brick, Flower, Stone And So On
- Length: 100-400m/roll
- Application: Furniture, Kitchen Cabinet, Door, Profile, Wall And So On
- Service: OEM, ODM
- Surface: Matt, Embosse, High Gloss, Soft Touch
- Usage: Lamination, wrapping, vacuum Membrane Press
- Highlight: **Brick Design PVC Interior Film ,
Brick Design PVC Ceiling Film ,
Wall Panel Decoration PVC Interior Film**

Product Description

Embossed Surface Brick Design PVC Film For Ceiling Wall Panel Decoration

Detail Description

- 1. Substance:** Polyvinyl chloride (PVC), a synthetic plastic substance renowned for its strength, pliability, and ease of processing, is the main ingredient in our pvc foil.
- 2. Appearance:** We offer a variety of colors, patterns, and textures for our pvc foil. It can replicate the appearance of natural materials like metal, wood, stone, or cloth, offering a more affordable option to real materials without sacrificing style.
- 3. Versatility:** Our foil can be used on a wide range of surfaces, such as walls, furniture, doors, and cabinets. It can be utilized in many interior areas and sticks nicely to a variety of substrates.
- 4. Durability:** Realsun Deco PVC foil is renowned for its resilience to deterioration and strength. It is resilient to regular use.
- 5. Maintenance:** Once installed, our pvc foil is generally low-maintenance. It is easy to clean and typically requires only routine wiping with a damp cloth to maintain its appearance.
- 6. Cost-effective:** One of the primary advantages of pvc decorative foil is its cost-effectiveness compared to natural materials. It allows for the creation of high-end aesthetics without the associated expenses.
- 7. Customization:** Manufacturers offer a wide variety of designs and finishes, allowing for customization to suit specific design preferences and project requirements.
- 8. Application:** Decorative pvc foil is commonly used in residential and commercial settings for applications such as kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays, and more.

Specification

Thickness	0.1mm-0.5mm
Width	1260mm, 1400mm
Length	100-400m/roll
Design	Wood grain, Solid color, Marble, Brick and so on
Surface treatment	Matt, Super matt, embossed, high gloss, soft touch
Service	OEM, ODM

Suggestion of thickness and width for some application

Process Method	Thickness (mm)	Width (mm)	Length/roll (meters)	Application
Membrane Press (vacuum press)	0.20-0.50	1260,1400	100-300	Cover on MDF, particleboard, wooden board, fiberboard, etc. for doors, kitchen cabinet, wardrobe, furniture, etc. Cover embossed board, cover five surfaces at same time.
Wrapping Profiles	0.12-0.18	40-1260	300-800	Cover on all kinds of profiles including wood profile, aluminum profile, PVC profile, etc. for door frame, window sill, base channel, PVC ceiling and so on
Cold Laminating	0.12-0.20	1240-1260	300-500	Cover on all kinds of flat panels, such as wood panel, steel panel, aluminum panel, PVC panel, etc. for doors and furniture
Hot Laminating	0.16-0.30	1260	200-300	Cover on the PVC panel, steel panel, aluminum panel for doors, skirting and so on
Self-adhesive	0.10-0.20	600-1220	5-50	Can be put on any smooth surface for furniture and indoor decorations



Packing Detail

Packing in roll with foam sheet and kraft paper.



Realsun Foshan Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com

realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China