



0.1mm-0.15mm Thickness Self Adhesive PVC Film For Furniture Renewing

Our Product Introduction

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Model Number: 0010
- Minimum Order Quantity: 3000m
- Price: USD 0.7/m~USD 5/m, negotiate
- Packaging Details: 50m/roll, one roll in one carton packing
- Delivery Time: 15-20 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500000m/month



Product Specification

- Material: PVC
- Thickness: 0.1mm-0.15mm
- Liner Paper: 80GSM
- Size: 122cm*50m/roll, 60cm*10m/roll
- Design: Wood Grain, Marble, Brick, Flower, Stone And So On
- Surface: Matt, Embosse, High Gloss, Soft Touch
- Application: Furniture, Kitchen Cabinet, Door, Profile, Wall And So On
- Service: OEM, ODM
- Highlight: Furniture Renewing Self Adhesive PVC Film, Furniture Renewing pvc interior film, 0.15mm Self Adhesive PVC Film

Product Description

Self Adhesive PVC Film For Furniture Renewing

Detail Description

1. **Material:** The self adhesive pvc film is primarily composed of polyvinyl chloride, a synthetic plastic material known for its durability and versatility.
2. **Adhesive Backing:** We add a layer of pressure sensitive adhesive on the back of the pvc film, and the liner paper. The liner paper is removed before application. The adhesive is designed to bond securely to a variety of surfaces, including glass, metal, plastic, wood, and so on.
3. **Thickness:** Our self adhesive pvc film can be made different thickness. The thickness you choose depends on your specific application and durability requirements.
4. **Finish:** The self adhesive pvc film is available in a variety of finishes, including glossy, matte, satin, and textured finishes. The choice of finish can affect the appearance and feel of the material.
5. **Colors and patterns:** Our self adhesive film is available in a wide range of colors and patterns, such as wood grain design, marble design, brick design and so on.
6. **Application:** our self adhesive pvc film has a broad range of applications, such as covering walls, furniture, and so on. And it is also popular choice for various craft and DIY applications due to its ease of use.

Specification

Thickness	0.1mm-0.12mm
Width	1220mm, 600mm
Length	50m/roll, 10m/roll
Design	Wood grain, Solid color, Marble, Brick and so on
Surface treatment	Matt, Super matt, embossed, high gloss, soft touch
Service	OEM, ODM

Installation

CONSTRUCTION PROCEDURE



1. Preparation Tool:

We need to prepare a pair of scissors, tape measure, utility knives, rags and scrapers

2. Clean the wall

Clean walls, slightly wipe the wall with damp cloth, remove the dust and impurities on the wall so that the wall is smooth, dry, solid, no bump.



3. Measure the wall size

Measure the wall size in order to reduce the error when you cut the wallpaper.

4. Cutting wallpaper (When cutting, keep the edge straight)
According to your measure of the wall size to cut wallpaper, Please noted that the length of wallpaper should be reserved 5CM more than the height of the wall to prepare trimming.



5. Torn wallpaper

Wallpaper ripped up the back corner of the film.

6. Use the scraper

Use the scraper lightly to calibrate the wallpaper from top to bottom, from the middle to the sides. Expel the air bubbles to make the wallpaper stick on the wall smooth and tight.



7. Obstruction

If the wall with the switch or other obstruction, you can cut the wallpaper around the shape of the swift with knife.

8. Cleaning

Use the cloth to clean and press the wallpaper surface after you stick it.



Packing Detail



Realsun Foshan Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com

realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China