

# Non Toxic Polyvinyl Chloride Film PVC Decorative Foil Moisture Proof

## **Basic Information**


- Place of Origin:
- Brand Name:
- Minimum Order
   Quantity:
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment

Foshan, China

Realsun Deco

3000m

Supply Ability: 500000m/month



## **Product Specification**

• Design:	Wood Grain, Marble, Brick, Stone And So On
Length:	100m-400m
Thickness:	0.10mm-0.50mm
Packing:	Pack In Roll
• Usage:	Lamination, Wrapping Machine, Vacuum Membrane Press
Service:	OEM, ODM
• Width:	1260mm, 1400mm
Material:	PVC
• Highlight:	non toxic polyvinyl chloride film, pvc decorative foil moisture proof, non toxic pvc decorative foil

Non-toxic Polyvinyl Chloride Sheet Perfect for Packaging Anti-Flame and Moisture-proof

### **Product Description:**

Our PVC foil is mainly comprised of Polyvinyl Chloride (PVC), a durable, flexible, and easy-to-process synthetic plastic material. The wide range of colors, designs, and textures of our PVC foil makes it a great cost-effective alternative to natural materials like wood, stone, fabric, or metal. PVC foil's adhesion to various substrates and its wide application in interiors make it a sought-after material. It is used in high-traffic areas because of its resilience and strength to deterioration and is easy to maintain with just regular wiping and cleaning. Decorative PVC foil is an affordable option when compared to natural materials, and it can be customized to fit any specification or design preference. Our PVC foil can be used for doors and cabinets, furniture, wall paneling, retail displays, and much more in both residential and commercial settings. Get the look of natural materials without spending a fortune!

## **Technical Parameters:**

The thickness range of the product is from 0.1mm to 0.5mm. The product is in roll form with widths of 1260mm and 1400mm, and the length of the roll can be up to 400 meters.

The design are various with wood grain, solid color, marble, brick and other aesthetics to choose from. The surface treatment of the product includes matt, super matt, embossed, high gloss and soft touch.

The company is able to provide OEM and ODM service for the product.

## **Applications:**

#### **Different Process Method for Different Applications:**

Membrane Press (vacuum press): With a thickness of 0.20mm to 0.50mm, a width of 1260mm or 1400mm and a length of 100-300m/roll, this allows for application on cover on MDF, particleboard, wooden board, fiberboard, etc., for door, kitchen cabinet, wardrobe and furniture, and cover embossed board with the capacity to cover all five surfaces at the same time.

Wrapping Profiles: This involves a thickness of 0.12mm to 0.18mm, a width of 40mm to 1260mm, and a length of 300-800m/roll, enabling application on all kinds of profiles including wood profile, aluminum profile, and PVC profile, for door frames, window sills, base channels, and PVC ceilings.

Cold Laminating: This entails a thickness of 0.12mm to 0.20mm, a width of 1260mm to 1260mm, and a length of 300-500m/roll, which can cover all kinds of flat panels such as wood panel, steel panel, aluminum panel, and PVC panel, for doors and furniture. Hot Laminating: The thickness of 0.16mm to 0.30mm, a width of 1260mm, and a length of 200-300m/roll enable it to be used for PVC panel, steel panel, and aluminum panel, and aluminum panel, and aluminum panel, as on.

Self-adhesive: With a thickness of 0.10mm to 0.20mm, a width of 600mm and 1220mm, and a length of 5-50m/roll, this process can be used on any smooth surface for furniture and indoor decorations.

## **Customization:**

Realsun Deco provides customized service for Vinyl Decorative Film, PVC Decorative Material, Vinyl Decorative Film for Furniture, etc.

Brand Name: Realsun Deco Place of Origin: Foshan, China Minimum Order Quantity: 3000m Price: Negotiable Packaging Details: Pack in roll Delivery Time: 15-20 days Payment Terms: T/T 30% down payment, 70% balance before shipment Supply Ability: 500000m/month Packing: Pack In Roll Application: Furniture/ Cabinet/ Door/ Wall/ Ceiling/ Floor Width: 1260mm, 1400mm Thickness: 0.10mm-0.50mm Material: PVC

### Support and Services:

#### Technical Support & Services for PVC Decorative Film

We offer comprehensive technical support and services for our PVC decorative film products. Our team of experienced professionals provides technical advice and assistance on product selection, installation, troubleshooting, and maintenance. We provide product information, including technical data sheets, user manuals, installation instructions, safety warnings, and product warranties. We also offer on-site training and installation support, as well as product repair and maintenance services. Our technical support services ensure that our customers are equipped with the knowledge and resources necessary to maximize the performance of their PVC decorative film products.

## Packing and Shipping:

Packaging and Shipping Rolls of PVC Decorative Film are packaged with kraft paper and foam sheets. Pallet packing for air or sea shipping is something we can provide.

 Realsun Ecorative Material Co., Ltd.

 • +8613790066054
 • sale1@realsundeco.com
 • realsundeco.com

 Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China