Vacuum Membrane Press PVC Decorative Film for Interior Design 1400mm Width

Basic Information

- Place of Origin:
- Brand Name:Minimum Order
- Quantity:
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment

Foshan, China

Realsun Deco

3000m

Supply Ability: 500000m/month



Product Specification

| • Surface: | Glossy/ Matt/ Embossed/ Super Matt/ Soft Touch |
|--------------|---|
| • Feature: | Non-toxic/ Anti-Flame/ Moisture-proof |
| Packing: | Pack In Roll |
| • Design: | Wood Grain, Marble, Brick, Stone And So On |
| • Width: | 1260mm, 1400mm |
| Application: | Furniture/ Cabinet/ Door/ Wall/ Ceiling/ Floor |
| Length: | 100m-400m |
| • MOQ: | 3000m/model |
| Highlight: | membrane press pvc decorative film, vacuum membrane press pvc decorative film, 1400mm pvc interior film |

Product Description:

Our PVC foil is primarily made from Polyvinyl Chloride (PVC), a synthetic plastic material known for its durability, flexibility, and ease of processing.

This foil is available in a wide range of *colors, patterns, and textures* that can mimic the look of natural materials such as wood, stone, fabric, or metal, providing a cost-effective atternative to these materials while retaining a high-quality aesthetic.

The foil can be applied to a variety of *surfaces*, including doors, cabinets, furniture, walls, and more. The adhesive is strong and resilient, suitable for any areas in interior.

Our PVC foil is known for its resilience to deterioration and strength. It is frequently used in high-traffic locations.

It requires little upkeep is and simple to maintain due to its *durability*. Users only need to wipes it down once a week with a moist cloth. The affordability of *pvc decorative foil* in comparison to natural materials is one of its main benefits, to create upscale aesthetics without incurring the related expenses.

A range of styles and finishes are available from manufacturers, enabling *modification* to meet project specifications and personal design. It is commonly used in residential and commercial settings for applications such as kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays, and more.

Technical Parameters:

When it comes to thickness, it comes to range from 0.1mm to 0.5mm. For width, you can choose between 1260mm and 1400mm. It can be supplied in the length of 100m to 400m per roll. It is offered with various designs, including wood grain, solid color, marble, brick and so on. Surface treatment: it provides matt, super matt, embossed, high gloss and soft touch. OEM and ODM services are also available for this product.

Applications:

Different Process Methods for Different Applications

Membrane Press(vacuum press): This method is best for covers on MDF, particleboard, wooden board, fiberboard, etc. The thickness range for this method is 0.20-0.50mm, widths are 1260mm or 1400mm, and the lengths go from 100-300m/roll. This is suitable for door, kitchen cabinet, wardrobe, and furniture covers, embed board covers, and cover five surfaces at the same time.

Wrapping Profiles: This method is best for covers on all kinds of profiles including wood profiles, aluminum profiles, and PVC profiles. The thickness range for this method is 0.12 to 0.18mm, widths of 40mm to 1260mm, and lengths between 300 to 800m/roll. It is ideal for door frames, window sills, base channels, and PVC ceilings.

Cold Laminating: This method is best for covers on all kinds of flat panels, such as wood panel, steel panel, aluminum panel, and PVC panel. The thickness range for this method is 0.12 to 0.20mm, width of 1240 to 1260mm, and lengths from 300 to 500m/roll. This is suitable for doors and furniture.

Hot Laminating: This method is best for covers on PVC panel, steel panel, and aluminum panel. The thickness range for this method is 0.16 to 0.30mm, width of 1260mm, and lengths between 200 to 300m/roll. This is suitable for door, skirting, and other applications.

Self-adhesive: This method is best when needing to be put on any smooth surface for furniture and indoor decorations. The thickness range for this method is 0.10 to 0.20mm, widths of 600mm and 1220mm, and lengths of 5-50m/roll.

Customization:

Customized PVC Decorative Film Service

Realsun Deco is specialized in offering customizable PVC Decorative Film to satisfy different needs of customers from all over the world. Our PVC Decorative Film is made in Foshan, China with high quality. We provide Vinyl Decorative Film OEM and ODM service to meet different demands of customers. Product Information

Brand Name: Realsun Deco Place of Origin: Foshan, China Minimum Order Quantity: 3000m/model Price: Negotiable Packaging Details: Pack in roll Delivery Time: 15-20 days Payment Terms: T/T 30% down payment, 70% balance before shipment Supply Ability: 50000m/month Length: 100m-400m Design: Wood Grain, Marble, Brick, Stone And So On Packing: Pack In Roll Service: OEM, ODM We are the professional manufacturer of PVC Decorative Sheet, Vinyl Decorative Film, Vinyl Decorative Film OEM in Foshan China, if you have any needs, please don't hesitate to contact us. We will provide you the best service with our excellent quality products.

Support and Services:

PVC Decorative Film Technical Support and Service We provide comprehensive technical support and service for our PVC Decorative Film products, including: Technical documents and product specifications Assistance with product selection, installation, and maintenance Troubleshooting and repair services Training and education On-site support and technical guidance

Packing and Shipping:

PVC Decorative Film Packaging and Shipping: The product is packaged in a single roll, lwith foam sheet and kraft paper. We can offer pallet packing for shipping by sea or air.

