



Waterproof Glossy PVC Sheet Kitchen Cupboard Film Wrap 100m-400m Length

Our Product Introduction

for more products please visit us on realsundeco.com

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m/model
- Price: negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500000m/month



Product Specification

- Usage: Furniture, Kitchen Cabinet, Ceiling, Wall Panel
- Application: Lamination, Vacuum Membrane Press, Wrapping
- Length: 100m-400m
- Surface Treatment: High Gloss, Smooth
- Feature: Non-toxic/ Anti Flame/ Moisture-proof/Anti Scratch
- Service: OEM ODM
- Thickness: 0.15mm-0.5mm
- Heat Resistance: 120
- Highlight: **Waterproof Glossy Pvc Sheet, Kitchen Cupboard Film Wrap 100m, Glossy Pvc Sheet 400m**

Product Description

Product Description:

Our pvc foil is mainly made of **Polyvinyl Chloride (PVC)**, which is a synthetic plastic material known for its durability, flexibility, and ease of processing.

This foil offers a wide range of colors, patterns, and textures. It can simulate the look of natural materials such as wood, stone, fabric, or metal. It provides customers with **a cost-effective solution** while maintaining high quality.

The versatility of our pvc foil is that it can be applied to a variety of surfaces, such as doors, cabinets, furniture, walls, and more.

Customers can use this product in different areas in interior. In addition, the foil has **strong durability** and can be used in high-traffic areas.

The maintenance of our pvc foil is also straightforward. It only needs a simple wipe down once a week with a moist cloth. Also, this product is truly **cost-effective**, which makes it possible to create an upscale aesthetic without having to spend a large amount.

A wide selection of styles and finishes are available from manufacturers, so customers can modify it to fit **their specific projects and preferences**. This foil is usually used in residential and commercial settings, such as kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays and more.

Technical Parameters:

We specialize in producing sheeting material of various thickness levels ranging from 0.1mm to 0.5mm, widths available at 1260mm and 1400mm, and length between 100m to 400m per roll. We offer a wide selection of designs such as wood grain, solid color, marble, brick, and more. Surface treatment including matt, super matt, embossed, high gloss, and soft touch can be achieved. We also provide OEM, ODM and customized services.

Applications:

There are five different ways of laminating materials for different applications, each of which has its own range of specifications.

First, for membrane pressing (vacuum pressing), the thickness nominated is 0.20-0.50mm width 1260mm-1400mm, and the length of roll is 100-300m. It is used for covering MDF, particleboard, wooden board, fiberboard, etc and is designed for use with doors, kitchen cabinets, wardrobes, and furniture.

Second, for wrapping profiles, the thickness is 0.12-0.18mm; width from 40mm to 1260mm; roll length being 300-800m. It is used for covering wood, aluminum and PVC profiles, becoming door frames, window sills, base channels and PVC ceilings.

Third, cold laminating is available from 0.12mm-0.20mm in width 1240-1260mm, and roll length of 300-500m. It is used for covering flat panels, such as wood, steel, aluminum and PVC for use with doors and furniture.

Fourth, hot laminating offers thickness from 0.16-0.30mm with a width of 1260mm and roll length of 200-300m. It is mainly used on PVC panel, steel panel and aluminum panel for doors or skirting.

Finally, self-adhesive laminating implies that thickness is 0.10-0.20mm; width of 600mm/1220mm; and its roll length is 5-50m. It is designed for furniture and indoor decorations, and can be fixated onto any smooth surface.

Customization:

High Gloss PVC Film

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Service: OEM, ODM

Surface Treatment: High Gloss, Smooth

Material: PVC

Thickness: 0.15mm-0.5mm

Feature: Non-toxic/ Anti Flame/ Moisture-proof/Anti Scratch

High gloss PVC film, color rigid PVC film, glossy vinyl film, glossy PVC film

Support and Services:

Technical Support & Service for High Gloss PVC Film

We offer a comprehensive range of support and service for high gloss PVC film. Our technical team is highly experienced and knowledgeable about the product and is ready to answer any queries you may have. We also provide installation advice and guidance, as well as troubleshooting and repair services. In addition, we provide product training and tutorials to ensure you get the most out of your PVC film.

We also offer a range of preventative maintenance services, including regular inspections and cleaning, to ensure your PVC film is always operating at its best. We also provide a range of after-sales services, including spare parts supply and repair, to keep your PVC film running smoothly for years to come.

Our technical support and service team is always on hand to answer any questions you may have and to provide the best advice to ensure you get the most out of your PVC film.

Packing and Shipping:

High Gloss PVC Film packaging and shipping:

The PVC film is packed in a roll, wrapped in a plastic film.
The roll is then placed in a wooden pallet for shipping.
The roll and wooden pallet are secured with a strong band to ensure safe transport.



Foshan Realsun Decorative Material Co., Ltd.



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China