

Customized Wood Look Lamination PVC Film OEM/ODM Service Available

Our Product Introduction

for more products please visit us on realsundeco.com

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



Product Specification

- Usage For Production Process: Lamination, Vacuum Membrane Press, Hot Press, Wrapping And So On
- Payment Term: T/T, L/C, Etc.
- Service: OEM, ODM
- Length: 100-400m/roll
- Surface: Glossy, Matte, Embossed, Supper Matt, Soft Touch Etc.
- Thickness: 0.10mm-0.50mm
- Application: Furniture, Door, Wall, Kitchen Cabinet, Ceiling Etc.
- Width: 1260mm, 1400mm
- Highlight: **Wood Look Lamination Pvc Film, Lamination Pvc Film OEM, Customized pvc lamination film**

Product Description

Customized Wood Grain Laminate PVC Sheet - OEM/ODM Service Available

Product Description:

Our PVF foil is primarily made from Polyvinyl Chloride (PVC), a synthetic plastic material known for its durability, flexibility, and ease of processing. It is available in a wide range of colors, patterns, and textures, allowing it to replicate the look of more expensive natural materials like wood, stone, fabric, and metal and provide a cost-effective alternative while still maintaining a high quality aesthetic. Furthermore, it is incredibly versatile and can be applied to a variety of surfaces, including doors, cabinets, furniture, walls, and more. It sticks well to different substrates and can be used in many areas in the interior. In addition, Realsun Deco PVC foil is renowned for its strength and resistance to damage, so it is often used in high-traffic areas.

In terms of maintenance, our pvc foil only needs a basic wipe-down with a slightly damp cloth once a week. It is also great in terms of cost, as it provides upscale aesthetics at a much lower price than natural materials. To meet project specifications and design preferences, many styles and finishes are available.

Finally, decorative pvc foil is commonly used in all sorts of residential and commercial spaces for cabinet, door, and furniture surfaces, wall paneling, retail displays and more.

Technical Parameters:

Different Solutions for Your Needs

We offer a wide selection of materials tailored to your needs. Our range of thicknesses starts from 0.1mm up to 0.5mm, with widths that range from 1260mm to 1400mm. Additionally, our rolls are available in lengths from 100m to 400m.

For design, we provide options such as wood grain, solid color, marble, and brick. You can also customize the look further with our surface treatment services which offer matt, super matt, embossed, high gloss, and soft touch options.

Last but not least, we also offer OEM and ODM services. So if you need something just for you, we are here to help.

Applications:

Different Process for Different Application

Membrane Press (vacuum press)

This process is used to cover materials like MDF, particleboard, wooden board, fiberboard, etc, on doors, kitchen cabinet, wardrobe, and furniture. This process allows for embossed board to be covered and five surfaces to be covered at the same time. The thickness can range from 0.20-0.5mm, the width can range from 1260mm-1400mm, and the length can range from 100-300m/roll.

Wrapping Profile

This process covers all kinds of profiles, including wood profile, aluminum profile, and PVC profile. It is used on items such as door frame, window sill, base channel, PVC ceiling, etc. The thickness can range from 0.12-0.18mm, the width from 40-1260mm, and the length from 300-800m/roll.

Cold Laminating

This process covers all kinds of flat panels, including wood panel, steel panel, aluminum panel, and PVC panel. It is used on doors and furniture. The thickness can range from 0.12-0.2mm, the width from 1240-1260mm, and the length from 300-500m/roll.

Hot Laminating

This process covers items such as PVC panel, steel panel, aluminum panel, and is used on doors, skirting, etc. The thickness can range from 0.16-0.3mm, the width from 1260mm, and the length from 200-300m/roll.

Self-adhesive

This process can be applied on any smooth surface for furniture and indoor decorations. Thickness can range from 0.1-0.2mm, width from 600mm-1220mm, and length from 5-50m/roll.

Customization:

Welcome to Realsun Deco, a leading supplier of PVC Interior Film. Our PVC Interior Films are widely used for lamination, vacuum membrane press, hot press, wrapping and so on, for furniture, door, wall, kitchen cabinet, ceiling etc.

The material of our PVC Interior Films is PVC, and the thickness available from 0.10mm to 0.50mm. We have a wide selection of wrapping pvc film, pvc rigid film and woodgrain pvc film for furniture in different colors and shapes.

We have a minimum order quantity of 3000m and can supply up to 500000m per month. Our price is negotiable and we accept payment terms of T/T 30% down payment, 70% balance before shipment. Delivery time is 15-20 days. All orders are packed in roll.

We provide both OEM and ODM services to meet your specific requirements. If you are interested in our PVC Interior Film, please don't hesitate to contact us. We look forward to hearing from you soon.

Support and Services:

Technical Support and Service for PVC Interior Film

At ABC Company, we are dedicated to providing exceptional service and technical support for our PVC Interior Film products. We offer a variety of support options, including:

Phone and email technical support

On-site technical support

Online technical resources

In-person product demonstrations

Product training and certification

Product warranty and repair services

Our team of experienced technicians is committed to providing the highest level of support for our PVC Interior Film products. If you have any questions or concerns, please don't hesitate to contact us.

Packing and Shipping:

PVC Interior Film Packaging and Shipping:

When shipping PVC interior film, the film should be packed securely using a protective covering such as foam protection sheet, kraft paper and plastic sheet. The film should be labeled with pertinent information including the product description, quantity, date of manufacture, and destination.



Foshan Realsun Decorative Material Co., Ltd.



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China