Versatile 0.12-0.18mm PVC Interior Film For Wrapping Profile Production Process

Basic Information

Place of Origin: Foshan, ChinaBrand Name: Realsun Deco

 Minimum Order Quantity:

• Delivery Time:

3000m

Price: Negotiable Packaging Details: Pack in roll

Pack in roll 15-20 days

• Payment Terms: T/T 30% down payment, 70% balance before

shipment

• Supply Ability: 500000m/month



Product Specification

• Design: Wood Grain, Marble, Brick, Stone, And So

On

• Thickness: 0.10mm-0.50mm

Surface: Glossy, Matte, Embossed, Supper Matt, Soft

Touch Etc.

• Payment Term: T/T, L/C, Etc.

• Application: Furniture, Door, Wall, Kitchen Cabinet,

Ceiling Etc.

• Usage For Production Lamination, Vacuum Membrane Press, Hot

100-400m/roll

Process: Press, Wrapping And So On

• Width: 1260mm, 1400mm

· Length:

• Highlight: 0.18mm PVC Interior Film,

0.18mm PVC wrapping film,

Product Description:

Our pvc foil is made from Polyvinyl Chloride (PVC), a synthetic plastic material known for its durability, flexibility, and ease of processing. It is available in a wide range of colors, patterns, and textures, which render it capable of mimicking the look of natural materials such as wood, stone, fabric, or metal, providing a cost-effective alternative to these materials while retaining a high-quality aesthetic.

The pvc foil can be applied to various surfaces, including doors, cabinets, furniture, walls, and more. Ideally it adheres to different substrates and can be used in various locations throughout a building, both residential and commercial. Moreover, its resilience to deterioration and strength make it perfect for high-traffic locations.

The affordability of our PVC decorative foil is one of its main advantages in comparison to natural materials. It allows for expressing upscale aesthetics without the need of worrying about related expenses. Additionally, we provide a large range of styles and finishes to give way to customizing projects to meet specifications and personal design preferences.

Maintenance is also surprisingly easy. All it needs is to be wiped down once a week with a moist cloth. This way our PVC decorative foil is commonly used for applications and can be found in residential and commercial settings such as kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays, and so on.

Technical Parameters:

Thickness: Ranging from 0.1mm to 0.5mm

Width: 1260mm and 1400mm

Length:Between 100m and 400m per roll

Design:We offer a variety of designs including wood grain, solid color, marble, brick, etc. **Surface treatment:**We offer matt, super matt, embossed, high gloss and soft touch treatment

Service: We accept OEM and ODM services

Applications:

Membrane Press (vacuum press)

This process is used to cover MDF, particleboard, wooden board, fiberboard etc. with a thickness between 0.20-0.50mm and width of 1260mm or 1400mm in Length which reaches up to 100-300m/roll. It is used for doors, kitchen cabinet, wardrobe, furniture, etc. It covers embossed board and is capable of covering five surfaces at the same time.

Wrapping Profiles

The process of wrapping profiles has thickness between 0.12-0.18mm and width of 40-1260mm while Length stretches to 300-800m/roll. It is suitable for all kinds of profiles including wood profile, aluminum profile, PVC profile, etc. for door frame, window sill, base channel, PVC ceiling and more.

Cold Laminating

It has a thickness of 0.12-0.20mm, width of 1240-1260mm and Length of 300-500m/roll. It can be used for all kinds of flat panels including wood panel, steel panel, aluminum panel, PVC panel etc. for doors and furniture.

Hot Laminating

The hot lamination process includes thickness of 0.16-0.30mm with Width of 1260mm and Length stretching to 200-300m/roll. It is mainly used to cover PVC panel, steel panel, aluminum panel for production of doors, skirting and other items.

Self-adhesive

The self-adhesive process has thickness of 0.10-0.20mm and Width of 600mm or 1220mm with Length of 5-50m/roll. It can be put on any smooth surface for furniture and indoor decorations.

Customization:

Realsun Deco PVC Interior Film Brand Name: Realsun Deco Place of Origin: Foshan, China Minimum Order Quantity: 3000m

Price: Negotiable

Packaging Details: Pack in roll Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month Thickness: 0.10mm-0.50mm Payment Term: T/T, L/C, Etc.

 $Surface: Glossy, \, Matte, \, Embossed, \, Supper \, Matt, \, Soft \, Touch \, Etc. \,$

Service: OEM, ODM

Design: Wood Grain, Marble, Brick, Stone, And So On

Realsun Deco PVC Interior Film is perfect for wrapping furniture, decoration, and other interior applications. It can be used for wrapping pvc film and woodgrain pvc film for furniture, and wrapping pvc film for decoration. It is available in glossy, matte, embossed, supper matt, and soft touch surfaces. It is available in thickness of 0.10mm-0.50mm. It also has a wide range of designs, such as wood grain, marble, brick stone and so on

We offer customized service for this product. OEM and ODM are available. We offer competitive price and fast delivery time. We accept T/T and L/C payment terms. We guarantee the quality and your satisfaction.

Support and Services:

PVC Interior Film provides technical support and services to ensure that our customers are satisfied with their purchases. Our technical support team consists of experienced professionals who are knowledgeable in all aspects of the product. We are available to answer any questions or provide assistance with installation. We also provide regular maintenance and repair services to ensure that the product maintains its original quality and performance. Additionally, our customer service team is available to provide guidance and help with any product-related issues.

Packing and Shipping:

Packaging and Shipping for PVC Interior Film:

The PVC Interior Film is packaged in rolls, with foam protection film, kraft paper head and plastic sheet.

Each roll is clearly marked with product information and handling instructions.

The rolls are then placed on a pallet and secured with shrink wrap.

The pallet is then shipped to the customer via common carrier or freight.

Realsun Decorative Material Co., Ltd.

+8613790066054

sale1@realsundeco.com

realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China