




Thickness 0.1mm-0.5mm PVC Lamination Film For Surfaces Of Doors Cabinets

Our Product Introduction

for more products please visit us on realsundeco.com

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m/model
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



Product Specification

- Surface: Glossy, Matte, Embossed, Super Matte, Soft Touch
- Material: PVC
- Width: 1260mm, 1400mm
- Length: 100m-400m/roll
- Thickness: 0.1mm-0.5mm
- Usage: Lamination, Vacuum Membrane Press, Wrapping, Hot Press And So On
- Design: Wood Grain, Marble, Brick, Stone, Plain Color Etc.
- Application: Furniture, Door, Wall, Kitchen Cabinet, Ceiling Etc.
- Highlight: **0.5mm PVC Lamination Film,**
0.1mm PVC Lamination Film,

Product Description

Cost-effective PVC Lamination Film - Perfect for Furniture Decoration Material

Product Description:

Our **PVC foil** is primarily made from **Polyvinyl Chloride (PVC)**, a synthetic plastic material known for its durability, flexibility, and ease of processing.

It is available in a wide range of colors, patterns, and textures and can mimic the look of **natural materials** such as **wood, stone, fabric, or metal**, providing a cost-effective alternative to these materials while retaining a high-quality aesthetic.

This material can be applied to a variety of surfaces, including doors, cabinets, furniture, walls, and more. It adheres well to different substrates and can be used in different areas in interior.

Our PVC foil is known for its resilience to deterioration and strength, and is often used in high-traffic locations. Little upkeep is required once it is placed, and it is usually just to be wiped down once a week with a moist cloth.

One of the main benefits of PVC decorative foil is its affordability in comparison to natural materials. It makes it possible to create upscale aesthetics without the costs associated with more expensive materials.

A large range of styles and finishes are available from manufacturers, enabling modification to meet project specifications and personal design preferences.

PVC decorative foil is commonly used in residential and commercial spaces for applications such as kitchen and bathroom cabinets, interior doors, wall paneling, furniture surfaces, retail displays, and more.

Technical Parameters:

We offer an extensive selection of vinyl wallpapers, ranging from 0.1mm to 0.5mm in thickness. The width of these products is 1260mm and 1400mm, while the length is from 100-400m/roll. The available designs are as follows: wood grain, solid color, marble, brick and many more. Moreover, users can choose from various surface treatments, including matt, super matt, embossed, high gloss and soft touch. We also provide OEM, ODM and OEM&ODM services.

Applications:

Different types of laminates and their usages vary greatly. For Membrane Press (vacuum press), the thickness range from 0.20 to 0.50mm and the width from 1260mm to 1400mm. It is mainly for length range of 100m to 300m per roll and is typically used cover on MDF, particleboard, wooden board, fiberboard and other such materials for doors, kitchen cabinets, wardrobes, and furniture. Membrane Pres can also cover embossed boards and cover five surfaces at the same time.

For wrapping profiles, the thickness range from 0.12 to 0.18mm and width from 40mm to 1260mm, usually for a length range of 300m to 800m per roll. It is used in covering on all kinds of profiles like wooden profile, aluminum profile, PVC profile, and so on, for door frame, window sill, base channel, PVC ceiling, etc.

Cold laminating consists of a thickness range of 0.12 to 0.20mm and width of 1240mm to 1260mm, usually with a length range of 300m to 500m per roll. It is mainly used to cover on all kinds of flat panels like wood panel, steel panel, aluminum panel, PVC panel, and other materials for doors and furniture.

Similarly, hot laminating consists of a thickness range of 0.16 to 0.30mm and width of 1260mm, mostly a length range of 200m to 300m per roll. It is used to cover on the PVC panel, steel panel, aluminum panel, etc. for doors, skirting, and such.

Lastly, self-adhesive laminates have a thickness range from 0.10 to 0.20mm and width of 600mm or 1220mm with a length range of 5m to 50m per roll. It is mainly used to put on any smooth surfaces for furniture and indoor decorations.

Customization:

PVC Lamination Film

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Design: Wood Grain, Marble, Brick, Stone, Plain Color Etc.

Length: 100m-400m/roll

Usage: Lamination, Vacuum Membrane Press, Wrapping, Hot Press And So On

Service: OEM, Customized Design And Size

Surface: Glossy, Matte, Embossed, Super Matte, Soft Touch

Realsun Deco provides **wood grain PVC lamination film, laminate plastic sheet, PVC laminating sheet, customized design and size, glossy, matte, embossed, super matte, soft touch**, etc.

Support and Services:

PVC Lamination Film Technical Support and Service

We provide technical support and services for our PVC Lamination Film products. Our technical support and services include:

On-site product installation and troubleshooting

Product training and education

Maintenance and repair

Product upgrades and updates

Technical advice and consultation

Our team of experienced and knowledgeable technicians are available to assist you with any technical questions or issues you may have. If you need assistance with our PVC Lamination Film products, please do not hesitate to contact us.

Packing and Shipping:

Packaging and Shipping of PVC Lamination Film:

The product will be packed in a waterproof pvc sheet. The roll should be clearly labelled with the name of the product, the quantity, and the name of the manufacturer. The product should be sealed securely and shipped to the customer.



Foshan Realsun Decorative Material Co., Ltd.



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China