

## Anti Flame Matte Embossed Self Adhesive PVC Wallpaper Textured Anti Fouling

Our Product Introduction

for more products please visit us on [realsundeco.com](http://realsundeco.com)

### Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3600sqm/model
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



### Product Specification

- Style: Self Adhesive
- Feature: Waterproof/ Moisture-Proof/ Mildew-Proof/ Anti-fouling/ Anti Flame
- Design: Marble/Wood Grain/Brick/Stone/Plain Color, Etc.
- Size: 122cm\*50m, 60cm\*10m
- Installation: Easy To Install
- Material: PVC
- Thickness: 0.1mm-0.15mm
- Surface Treatment: Glossy/ Matte/ Textured/ Embossed
- Highlight: **Anti Flame Self Adhesive PVC Wallpaper, Self Adhesive PVC Wallpaper Textured**

## Product Description

### Product Description:

**Material:**The self adhesive pvc wallpaper is primarily composed of polyvinyl chloride, a synthetic plastic material known for its durability and versatility.

**Adhesive Backing:**We add a layer of pressure sensitive adhesive on the back of the pvc film, and the liner paper. The liner paper is removed before application. The adhesive is designed to bond securely to a variety of surfaces, including wall, glass, metal, plastic, wood, and so on.

**Thickness:**Our self adhesive pvc wallpaper can be made different thickness. The thickness you choose depends on your specific application and durability requirements.

**Finish:**The self adhesive pvc wallpaper is available in a variety of finishes, including glossy, matte, satin, and textured finishes. The choice of finish can affect the appearance and feel of the material.

**Colors and patterns:**Our self adhesive wallpaper is available in a wide range of colors and patterns, such as wood grain design, marble design, brick design and so on.

**Application:**our self adhesive pvc wallpaper has a broad range of applications, such as covering walls, furniture, and so on. And it is also a popular choice for various craft and DIY applications due to its ease of use.

### Technical Parameters:

Thickness of surface materials of our company can range from 0.1mm to 0.15mm, which also vary in sizes from 1220mm by 600mm. Materials could also be crafted to different lengths like 50 meters per roll or 10 meters per roll. Design options feature a variety of woods grain, solids colors, marble, bricks, etc. We offer different surface treatments in matt, super matt, embossed, high gloss and soft touch. If you'd like to customize something special, tailored service of our OEM and ODM available.

### Applications:

How to Apply Self-Adhesive PVC Wallpaper

Here is a general guide on how to apply self-adhesive PVC wallpaper.

#### Materials Needed

Self-adhesive PVC wallpaper

A clean, smooth surface to apply the film to (e.g., furniture, walls, windows, or any other suitable surface)

A measuring tape or ruler

A sharp utility knife or scissors

A squeegee or a credit card

A clean cloth or sponge

A spray bottle with soapy water (optional)

#### Steps for Application

**Prepare the surface:** Ensure that the wall you plan to cover with self-adhesive PVC wallpaper is clean, dry, and smooth. Remove any dust, dirt, or imperfections. If the surface is dirty, clean it thoroughly and let it dry completely.

**Measure and cut:** Measure the dimensions of the surface you want to cover and add a few extra inches to each side to allow for trimming. Cut the self-adhesive PVC wallpaper to the desired size using a sharp utility knife or scissors. Be precise in your measurements and cutting to ensure a proper fit.

**Peel off the backing:** Carefully peel back a few inches of the backing paper from one end of the PVC wallpaper. Avoid touching the adhesive side to prevent fingerprints and dirt from sticking to it.

**Apply the wallpaper:** Begin applying the exposed adhesive side of the PVC wallpaper to the surface. Start at one corner or edge and align it with the surface. As you apply the film, gradually peel off more of the backing paper, smoothing the film onto the surface as you go. You can use a squeegee or a credit card to help remove any air bubbles and ensure a smooth, even application.

**Smooth out bubbles:** If you notice any air bubbles trapped under the film, use the squeegee or credit card to gently push them out towards the edges. Work from the center outward to expel the bubbles completely.

**Trim excess:** Once the wallpaper is applied smoothly, use a utility knife or scissors to trim any excess film along the edges. Be cautious when cutting to avoid damaging the surface underneath.

**Finish and clean:** After trimming, go over the entire surface with a clean cloth or sponge to ensure that the PVC wallpaper is securely adhered and free from any air bubbles or wrinkles. If you used soapy water during application, wipe away any excess water or soap residue.

**Final inspection:** Inspect the surface to ensure that the PVC film is securely in place and free from imperfections. If you encounter any issues, gently lift the film and reapply as needed.

Self-adhesive PVC wallpaper can be used for a wide range of purposes, so make sure to follow the specific instructions provided by the manufacturer if you have a unique application in mind. Proper surface preparation and careful installation are key to achieving a professional-looking result.

### Customization:

Customizable Self Adhesive PVC Wallpaper

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3600sqm/model

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days  
Payment Terms: T/T 30% down payment, 70% balance before shipment  
Supply Ability: 500000m/month  
Application & Design  
Application: Wall Decoration/Kitchen Counter Top/Furniture Decoration/Ceiling Decoration  
Design: Marble/Wood Grain/Brick/Stone/Plain Color, Etc.  
Material & Color  
Material: PVC  
Color: Various Colors  
Thickness: 0.1mm-0.15mm  
Keywords  
wall deco, vinyl wallpaper, self adhesive wall covering

## Support and Services:

---

### Technical Support & Services for Self Adhesive PVC Wallpaper

We provide professional and reliable technical support and services for Self Adhesive PVC Wallpaper. Our experts are available to answer any questions you may have about installation, maintenance, and product usage. We are committed to providing a superior level of customer service and satisfaction.

Our technical support team is highly experienced and knowledgeable in all aspects of Self Adhesive PVC Wallpaper. We offer a variety of resources including installation instructions, maintenance tips, product selection guides, and troubleshooting information. Our team is also available to provide personalized assistance with any technical issues you may encounter.

We are dedicated to providing excellent customer service and satisfaction. Our staff is available to answer any questions you may have and to walk you through the entire process, from product selection to installation and maintenance. We strive to ensure that every customer is satisfied with their purchase and that they have the best experience possible.

## Packing and Shipping:

---

### Packaging and Shipping for Self Adhesive PVC Wallpaper:

The PVC wallpaper will be packaged in a cardboard box with a plastic wrapping. The box should be large enough to contain the wallpaper rolls with thick padding to help keep them secure during transport. The box should also be labeled with the product name and any other relevant information required.

The wallpaper rolls should be secured properly to prevent any damage during shipment. Shipping should be done in a timely manner with a reliable carrier to ensure safe delivery of the product.



**Foshan Realsun Decorative Material Co., Ltd.**



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China