



Anti Flame PVC Door Foil Wood PVC Film 0.10mm-0.50mm Thickness

Our Product Introduction

for more products please visit us on realsundeco.com

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m/model
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



Product Specification

- Length: 100m-400m
- Feature: Non-toxic/ Anti-Flame/ Moisture-proof
- Material: PVC
- Thickness: 0.10mm-0.50mm
- Service: OEM, ODM
- MOQ: 3000m/model
- Surface: Glossy/ Matt/ Embossed/ Super Matt/ Soft Touch
- Design: Wood Grain, Marble, Brick, Stone And So On
- Highlight: **wood pvc film 0.10mm, 0.10mm door foil, 0.50mm door foil**

Product Description

Product Description:

Our PVC foil is made primarily from Polyvinyl Chloride (PVC), which is a synthetic plastic material known for its durability, flexibility, and relatively easy processing. It is available in a wide range of colors, patterns, and textures and can replicate the look of natural materials, such as wood, stone, fabric, or metal.

The versatility of our product allows it to be applied to different surfaces, from doors and cabinets to furniture and walls. It also adheres well to different substrates and can be used in various areas around the home.

Our foil is both reliable and cost-effective. It is renowned for its resilience to wear and tear and is often used in high-traffic locations.

Additionally, it is cost efficient when compared to natural materials, enabling people to create expensive aesthetics without incurring large expenses.

A plethora of styles and finishes are available from manufacturers, which makes it suitable for different project specifications and design preferences. Moreover, it is simple to maintain and just requires weekly wiping with a moist cloth.

Decorative PVC foil can be used in both residential and commercial settings for applications such as kitchen and bathroom cabinets, interior doors, wall paneling, and furniture surfaces. Additionally, it can be used for retail displays and other related projects.

Technical Parameters:

We supply products with various thickness, width, length, design and surface treatment.

The thickness range from 0.1mm to 0.5mm while the width can be 1260mm or 1400mm. It is also available in length of 100 to 400m per roll and contains various designs like wood grain, solid color, marble, brick and more. Surface treatment options include matt, super matt, embossed, high gloss and soft touch.

Additionally, OEM and ODM services are provided.

Applications:

Different Process for different application:

1. Membrane Press (vacuum press): This method is used to cover MDF, particleboard, wooden board, fiberboard and other materials with thickness from 0.20 mm to 0.50 mm, width of 1260mm and 1400mm, and length of 100 m to 300 m per roll, for making doors, kitchen cabinet, wardrobe, furniture and other items. It is also capable of covering embossed boards and five flat surfaces at one go.
2. Wrapping Profiles: This application is used to cover all kinds of profiles including wood, aluminum and PVC, with thickness ranging from 0.12mm to 0.18mm, width from 40mm to 1260mm and length from 300 m to 800 m per roll, for door frame, window sill, base channel, PVC ceiling and other items.
3. Cold Laminating: By using this process, panels like wood, steel, aluminum and PVC with thickness between 0.12mm to 0.20mm, width from 1240mm to 1260 mm, and length from 300m to 500 m per roll, can be used for doors and furniture decorations.
4. Hot Laminating: This type of drive uses 0.16mm to 0.30mm thick PVC, steel and aluminum panels with width of 1260mm and length from 200m to 300m per roll, for doors, skirting and other construction related elements.
5. Self-adhesive: Lastly, this self-adhesive type of paper has thickness from 0.10mm to 0.20mm, width of 600mm/1220mm, and length from 5m to 50m per roll, which can be used for furniture and indoor decoration.

Customization:

Realsun Deco offers customized PVC Decorative Film services to customers. Our products have the following attributes:

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Material: PVC

Thickness: 0.10mm-0.50mm

Length: 100m-400m

MOQ: 3000m/model

Design: Wood Grain, Marble, Brick, Stone And So On

Our PVC Decorative Film can be used for pvc vacuum press film, pvc membrane foil, pvc wood grain foil and other decoration purposes, making it the perfect choice for your various projects.

Support and Services:

PVC Decorative Film technical support and service includes:

On-site installation and troubleshooting

Technical support via email and phone

Regular updates and maintenance

Online tutorials and documentation

Product warranty and replacement

Packing and Shipping:

PVC Decorative Film Packaging and Shipping:
The PVC decorative film is packaged in rolls. The roll is printed with product information and labels. The roll is then sealed and placed in a shipping container that is labeled with the product name. The shipping container is then shipped to the customer's address.

Realsun Foshan Realsun Decorative Material Co., Ltd.

+8613790066054 sale1@realsundeco.com realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China