



## Aluminum Profile Wrapping PVC Membrane Foil For Window Frame Application

### Our Product Introduction

for more products please visit us on [realsundeco.com](http://realsundeco.com)

#### Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m/model
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



#### Product Specification

- Features: Waterproof, Anti Flame, Anti-scratch, Antibacterial etc.
- Printing: 1-5Color Printing
- Thickness: 0.14mm-0.5mm
- Surface: Smooth, Embossed, Texture, Matte, Super Matte, Soft Touch, High Gloss
- Material: PVC
- Width: 1260mm/1400mm
- Length: 100m-400m/roll
- Packaging: Rolls
- Highlight: **Aluminum Profile Wrapping PVC Membrane Foil**  
,  
**Aluminum Profile Wrapping pvc membrane film ,**  
**Window Frame PVC Membrane Foil**

## Product Description

### Product Description:

Our PVC Foil is primarily composed of Polyvinyl Chloride (PVC), a synthetic plastic material that is sought-after for its flexibility, longevity, and ease of processing.

Various colors, patterns, and textures can be found in our PVC Foil, allowing it to mimic the look of materials such as wood, stone, fabric, and metal. It is a cost-effective way to obtain a high-quality aesthetic.

It has strong adhesiveness and can be installed on doors, cabinets, furniture, walls, and more. With its durability, it is the ideal material for high-traffic areas.

In addition, PVC Decorative Foil requires little maintenance, usually only needing to be wiped down once a week with a damp cloth.

Combining this with its affordability and plentiful great styles and finishes available, it is a great choice to fulfill project specifications and personal design preferences.

It is widely used in residential and commercial locations for kitchen cabinets, interior doors, wall paneling, retail displays, and many other applications.

### Features:

Product Name: PVC Membrane Foil

Material: PVC

Length: 100m-400m/roll

Packaging: Rolls

Thickness: 0.14mm-0.5mm

Usage: Lamination, Vacuum Membrane Press, Wrapping, Hot Press etc.

Special Use: PVC Membrane Foil, PVC Sheet for Furniture, PVC Deco Sheet

### Technical Parameters:

We provide a wide range of vinyl laminate flooring products with various thickness, width, length, design, surface treatment and services. The thickness range covers from 0.1mm to 0.5mm, and the width mainly contains 1260mm and 1400mm. The length we offer varies from 100m to 400m per roll.

You can choose from different designs of our vinyl laminate flooring, including wood grain, solid color, marble, brick and many other styles. There are also multiple surface treatments such as matt, super matt, embossed, high gloss and soft touch.

We have flexible customizing methods, allowing OEM and ODM services. We are able to adjust the parameters and design of our products to meet the individual needs of customers.

### Applications:

**Membrane Press (vacuum press):** This process is used to cover MDF, particleboard, wooden board, fiberboard and other boards with a thickness range of 0.20 – 0.50mm. The widths range from 1260mm & 1400mm, and the lengths range from 100-300m/per roll. It is used to cover embossed boards while covering five surfaces at the same time. It is used for doors, kitchen cabinets, wardrobes and furniture.

**Wrapping Profiles:** This process is used to cover a range of profiles, including wood profiles, aluminum profiles, and PVC profiles, with a thickness range of 0.12 to 0.18 mm and widths of 40 to 1260 mm. The lengths range from 300-800m/per roll. It is used to cover door frames, window sills, base channels, and PVC ceilings.

**Cold Laminating:** This process is used to cover all sorts of flat surfaces, for example, wood panel, steel panel, aluminum panel, and PVC panel, with a thickness ranging from 0.12 to 0.20mm, and widths of 1240 to 1260mm. The lengths are 300 – 500m/per roll. It is used for doors, furniture, and other applications.

**Hot Laminating:** This process is used to cover PVC panel, steel panel, and aluminum panel, with a thickness range of 0.16 to 0.30mm, and width of 1260mm. The lengths are 200-300m/per roll, and it is used on doors, skirting, and other applications.

**Self-Adhesive:** This process uses a material with a thickness range of 0.10-0.20mm and widths of 600mm or 1220mm, and a length range of 5-50m/per roll. It can be applied to any smooth surface and is used mainly for furniture and inside decorations.

### Customization:

Realsun Deco provides custom services for PVC Membrane Foil with the following attributes:

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3000m/model

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Packaging: Rolls

Material: PVC

Width: 1260mm/1400mm

Thickness: 0.14mm-0.5mm

Length: 100m-400m/roll

Specialized for: pvc sheet for furniture, pvc sheet for furniture, pvc membrane foil for door panel

### **Packing and Shipping:**

Packaging and Shipping for PVC Membrane Foil:

PVC film is wrapped in rolls and protected on the outside with a plastic sheet, kraft paper head, and foam sheet.

The roll is sealed and labeled with product name, size, and weight;

The roll is securely placed in an outer shipping container;

The shipping container is labeled with product name, size, and weight, and shipped via ground or air transport.



**Foshan Realsun Decorative Material Co., Ltd.**



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China