Embossed Peel And Stick Wall Covering For Bathroom Removable

Basic Information

Place of Origin: Foshan, China
 Brand Name: Realsun Deco
 Minimum Order Quantity: 3600sqm/model

Price: Negotiable
Packaging Details: Pack in roll
Delivery Time: 15-20 days

• Payment Terms: T/T 30% down payment, 70% balance before

shipment

• Supply Ability: 500000m/month



Product Specification

Style: Self Adhesive

Application: Wall Decoration/Kitchen Counter

Top/Furniture Decoration/Ceiling Decoration

• Thickness: 0.1mm-0.15mm

• Design: Marble/Wood Grain/Brick/Stone/Plain Color,

Etc.

Adhesive: Pressure Sensitive Adhesive

• Installation: Easy To Install

Usage: Living Room/ Bedroom/ Kitchen/ Bathroom

Material: PVC

Highlight: Embossed Peel And Stick Wall Covering,

Removable Peel And Stick Wall Covering

Product Description

Easy Installation Peel And Stick Wall Covering Film In Brick Design Embossed Surface

Product Description:

Our self adhesive PVC wallpaper is composed of polyvinyl chloride, a strong and versatile synthetic plastic material. A layer of pressure sensitive adhesive is added on the back of both the PVC film and its accompanying liner paper, which is removed before application. This allows the wallpaper to securely bond to surfaces such as glass, metal, plastic, and wood. We offer wallpaper of varying thicknesses, depending on their specific use and durability needs.

Our self adhesive PVC wallpaper is available in glossy, matte, satin, and textured finishes that give the material distinct appearances and feelings. We have a wide range of colors and patterns, including wood grain, marble, and brick designs, which are suitable for covering walls, furniture, and other crafts and DIY applications. With its simple, no mess installation, our wallpaper is a popular choice for many.

Features:

Product Name: Self Adhesive PVC Wallpaper

Size: 122cm*50m, 60cm*10m

Usage: Living Room/ Bedroom/ Kitchen/ Bathroom

Style: Self Adhesive Material: PVC OEM/ODM: Accepted

Features: Temporary Wallpaper, Temporary Wall Covering, Peel and Stick Wallpaper, Removable Wallpaper

Technical Parameters:

This offers great versatility no matter what you need. We provide a thickness range of 0.1mm to 0.12mm and the width available is 1220mm and 600mm. The length can be customized according to your needs, in both 50m/roll and 10m/roll. Plus, we provide a variety of designs, from wood grain, solid color, marble, brick to the likes.

The surface treatment can be of matt, super matt, embossed, high gloss and soft touch. And of course, both OEM and ODM service are available. We are here to meet your needs and create your ideal product.

Applications:

Self-adhesive PVC wallpaper is a versatile material that can be used for various applications, including home improvement, crafts, signage, and more. Here's a general guide on how to apply self-adhesive PVC wallpaper:

Materials you'll need:

Self-adhesive PVC wallpaper

A clean, smooth wall surface to apply the film

A measuring tape or ruler

A sharp utility knife or scissors

A squeegee or a credit card

A clean cloth or sponge

A spray bottle with soapy water (optional)

Steps for application:

Prepare the surface: Ensure that the surface you plan to cover with self-adhesive PVC wallpaper is clean, dry, and smooth.

Remove any dust, dirt, or imperfections. If the surface is dirty, clean it thoroughly and let it dry completely.

Measure and cut: Measure the dimensions of the surface you want to cover and add a few extra inches to each side to allow for trimming. Cut the self-adhesive PVC film to the desired size using a sharp utility knife or scissors. Be precise in your measurements and cutting to ensure a proper fit.

Peel off the backing: Carefully peel back a few inches of the backing paper from one end of the PVC film. Avoid touching the adhesive side to prevent fingerprints and dirt from sticking to it.

Apply the film: Begin applying the exposed adhesive side of the PVC film to the surface. Start at one corner or edge and align it with the surface. As you apply the film, gradually peel off more of the backing paper, smoothing the film onto the surface as you go. You can use a squeegee or a credit card to help remove any air bubbles and ensure a smooth, even application. Smooth out bubbles: If you notice any air bubbles trapped under the film, use the squeegee or credit card to gently push them out towards the edges. Work from the center outward to expel the bubbles completely.

Trim excess: Once the film is applied smoothly, use a utility knife or scissors to trim any excess film along the edges. Be cautious when cutting to avoid damaging the surface underneath.

Finish and clean: After trimming, go over the entire surface with a clean cloth or sponge to ensure that the PVC film is securely adhered and free from any air bubbles or wrinkles. If you used soapy water during application, wipe away any excess water or soap residue.

Final inspection: Inspect the surface to ensure that the PVC film is securely in place and free from imperfections. If you encounter any issues, gently lift the film and reapply as needed.

Self-adhesive PVC film can be used for a wide range of purposes, so make sure to follow the specific instructions provided by the manufacturer if you have a unique application in mind. Proper surface preparation and careful installation are key to achieving a professional-looking result.

Customization:

Self Adhesive PVC Wallpaper Brand Name: **Realsun Deco** Place of Origin: **Foshan, China**

Minimum Order Quantity: 3600sqm/model

Price: Negotiable

Packaging Details: Pack in roll Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Style: Self Adhesive

Usage: Living Room/ Bedroom/ Kitchen/ Bathroom

Application: Wall Decoration/Kitchen Counter Top/Furniture Decoration/Ceiling Decoration

Installation: Easy To Install Thickness: 0.1mm-0.15mm

Features: temporary wall covering, pvc contact paper, wall deco paper

Packing and Shipping:

Packaging and Shipping of Self Adhesive PVC Wallpaper

Self Adhesive PVC Wallpaper is packaged in rolls and shipped in cardboard boxes or other securely sealed containers. To reduce the risk of damage during transit, the rolls are wrapped in bubble wrap and plastic sheeting. The cardboard boxes are marked with product details, such as the type of adhesive, size, pattern, and color.

The shipping process is handled by a reliable carrier. The shipment is tracked and customers are informed of the progress in real time. Delivery time is estimated depending on the shipping destination and usually takes between 2-7 business days.









Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China